



Community Health Assessment

2020 Report


Table of Contents

Introduction	4
Health Equity-District Overview.....	7
Population Characteristics	8
District Overview.....	8
Population Demographics.....	8
Race and Ethnicity.....	9
Median Age	10
County Quick Facts.....	12
Socio-Economic Status.....	14
Economics	14
Educational Level	19
Health Outcomes	20
Leading Causes of Death.....	20
General Health	22
Leading Causes of Chronic Disease	23
Cancer	23
Heart Disease	28
Overweight/Obesity.....	29
Diabetes	32
Leading Causes of Injury	34
Behavioral/Mental Health and Related Risk Factors	36
Suicide Risk.....	37
Adverse Childhood Experiences.....	38
Substance Use Disorders.....	40
Alcohol Use	40
Maternal and Perinatal Outcomes.....	41
Healthcare Access and Utilization.....	43
Healthcare Insurance Coverage	43
Healthcare Providers.....	44
Health Care and Prevention Assets.....	48
Access for Aging Populations:	49
Access for Veteran Populations:	49

Preventative Screenings.....	49
Barriers to Accessing Health Care	50
Community Themes and Strengths.....	51
Appendices.....	51
Appendix A: List of Tables	52
Appendix B: List of Figures.....	53
Appendix C: References	55

Introduction

East Central District Health Department (ECDHD) serves 52,890ⁱ people within a four-county district comprised of Boone, Colfax, Nance and Platte counties in northeastern Nebraska. All of these counties are classified as rural counties by the Federal Office of Rural Health Policyⁱⁱ.



ECDHD was formed in 2002 as a result of State legislation that applied Tobacco Master Settlement funds to organize local health departments statewide. The mission of ECDHD is to complement community health services in order to make a positive difference in the quality of life to all individuals and families.

As Chief Health Strategist—who convenes partners that investigate and take action to make meaningful progress on complex health community issuesⁱⁱⁱ—for this four-county district, ECDHD conducts a community health assessment (CHA) and community health improvement plan (CHIP) every three years. The CHA is a process of gathering and interpreting information from multiple and diverse sources in order to develop a deeper understanding of the health and wellbeing of a community/jurisdiction. The CHA process describes the current health status of the community, identifies, and prioritizes health issues and develops a better understanding of the range of factors that influence and impact health. This report focuses on the **Community Health Status Assessment** portion of ECDHD's CHA. Data were gathered from secondary sources such as County Health Rankings and Roadmaps (CHRR), Nebraska Department of Health and Human Services Office of Health Disparities and Health Equity Data Dashboards and American Community Survey/US Census Bureau. This assessment identifies leading causes and emerging issues that impact community health and quality of life, including the leading causes of mortality and morbidity, the general health status of community members, disparities in health outcomes, the access and availability of behavioral and health care, etc.

Four partners who take the lead role in the providing healthcare for the communities within ECDHD region and play an important role in the development of this assessment include:

Boone County Health Center, located in Albion, Nebraska, is a recognized leader in providing a continuum of healthcare to the 10,000 rural residents in Boone, Antelope, Greeley, western Madison and Platte, Nance and Wheeler Counties. The Health Center is a county hospital, twenty-five bed, five nursery facility, that sees over 70,000 outpatient visits and over 30,000 clinic visits on an annual basis and is the primary source of healthcare for the rural communities it serves in the towns of Albion, Spalding, Newman Grove, Fullerton and Elgin. With eight physicians and four physician assistants, a well-rounded medical staff is present to meet the

needs of the patients and their families. In addition, two affiliate physician clinics are in St. Edward and Cedar Rapids. Services provided by the 250 employees at the Health Center include; cardiac rehab, physical therapy, occupational therapy, speech therapy, radiology (ultra sound, digital mammography, nuclear medicine, CT, open MRI, dexta scanner, fluoroscopy and general x-ray), full laboratory services, oncology, aesthetics care, full OB services, home health and mental health services. In addition to the services provided by our local staff, a full range of seventeen specialty clinics are scheduled throughout the month to allow patients the ability to obtain these services at home.


CHI Health Schuyler, located in Schuyler, Nebraska, is a 25 bed Critical Access Hospital. The physicians, nurses, and other associates at this faith-based community hospital are committed to delivering personalized, compassionate care to approximately 10,441 individuals that reside in Colfax County. Such care takes many forms - technologically advanced medical services, quality health education, health screenings, and more. Beyond the hospital walls, Memorial Hospital works closely with businesses, community groups, churches, schools, social service agencies, and others to build a healthier community. Acute care and outpatient services include general medical surgical care, skilled nursing care, home health care, outpatient specialty care that includes general surgery, cardiology, urology, gastrointestinal, orthopedic, gynecology, otolaryngology, nephrology, and podiatry services. Restorative services such as physical therapy and cardiac rehabilitation are also available. A full complement of diagnostic services are offered for the laboratory and radiology which include: CT, MRI, mammography, ultrasound, nuclear medicine, echocardiograms, and vascular exams.

Genoa Medical Facilities (GMF) is the sole health care facility in Nance County, Nebraska, located in the city of Genoa, NE. GMF is comprised of the hospital, long-term care, and assisted living facilities. The hospital is a 19-bed, critical access, city owned, non-profit facility. GMF provides healthcare for a community of almost 5,000 people within a 10-mile radius. The 35-bed long term care unit and the 20-unit assisted living facility provide a home for those whose needs include additional living care. Most importantly, GMF provides the care for the people of the community. The care people receive here pales by comparison to the services offered at large facilities. For this reason, the community is uniquely supportive of the hospital's mission, which is to be "Champions for Rural Healthcare."

Columbus Community Hospital is a community-owned, not-for-profit hospital. The facility opened its doors at its new location in August 2002 and is located on 60 acres in the northwest part of Columbus, NE. The Hospital is a 47 bed acute care facility (certified for swing beds), with 4 skilled nursing beds and 14 ambulatory outpatient beds, all private rooms. Columbus Community Hospital is licensed by the Nebraska State Board of Health and is accredited through The Joint Commission. The Hospital is also a member of the Nebraska Hospital Association (NHA), American Hospital Association (AHA), Voluntary Hospital Association (VHA) and Heartland Health Alliance (HHA). Columbus Community Hospital's success can be measured in the quality of its facilities and the commitment of volunteers, staff, board, and physicians. Leadership consists of an 11-member Board of Directors, President/CEO, 4 Vice-Presidents, 38 members of the Medical Staff, over 550 employees, and 300+ volunteers. In October 2010, the Hospital expanded services in the Emergency Department, increase patient privacy in the registration area and create a women's imaging center.

County Health Rankings and Roadmaps (CHRR), a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin that provides reliable local data and evidence to communities to help them identify opportunities to improve their health. The CHRR model was used as the lens for this community health status assessment (see Figure 1). Most county-level measures used in this assessment came from the County Health Rankings, a source of secondary data compiled using from a variety of nation and state data sources, such as Behavioral Risk Factor Surveillance System (BRFSS), Centers for Disease Control and Prevention databases, National Center for Health Statistics, USDA Food Environment Atlas, US Census, etc. To find out more, visit [County Health Rankings: Measures and Data Sources](#).

Figure 1. County Health Rankings and Roadmaps Framework



This community health status assessment gathered data from secondary sources such as County Health Rankings and Roadmaps (CHRR), Nebraska Department of Health and Human Services Office of Health Disparities and Health Equity Data Dashboards and American Community Survey/US Census Bureau, and so on to assess the health status of the ECDHD region to identify emerging issues and trends, when possible, and to gauge big changes from the, previous Community Health Improvement Plan priorities.

Additionally, this community health status assessment reviews the responses to the community health survey, designed by ECDHD and distributed across the ECDHD region, to determine Community Themes and Strengths. The survey assessed community members' perceptions of important health issues, including wellbeing and quality of life. This survey was available in English and Spanish and in print and online and was distributed through ECDHD and their partners. Additionally, ECDHD posted the survey link on the ECDHD website and Facebook pages. Preliminary results are discussed in this report.


Health Equity-District Overview

Rurality is associated with a number of negative health outcomes, specifically higher premature mortality rates, infant mortality rates, and age-adjusted death rates. Rurality is also associated with a number of negative health behaviors that contribute to chronic disease and death, such as unhealthy diets and limitations in meeting moderate or vigorous physical activity recommendations.^{iv} These data paint a stark picture of health disparities given one factor, geography. There are disparities related to race and ethnicity independent from geography, and there are disparities related to geography independent from race and ethnicity. When disparities from independent factors overlap, such as race/ethnicity overlapping with geography, the result is a dual disparity resulting in some of the poorest health statuses seen in the nation.^v

Literacy and primary language must be taken into account in all health contexts. It is estimated that only 1 in 10 American adults have the skills needed to use health information that is routinely available in health care facilities, retail outlets, and they media.^{vi} *“Being able to read does not necessarily mean one will be health literate, however, the lack of basic literacy skills does mean that patients almost certainly will have difficulty reading and understanding basic health information”.*^{vii} Basic literacy and health literacy levels are also factors associated with health disparities.

Language barriers also contribute to health disparities and exacerbate difficulties understanding and acting on health information.^{viii} The ECDHD district is home to immigrant and second-language English speakers from Mexico, Central America, Guatemalan, Africa, Myanmar (the Karenni) ^{ix} and other areas.

Figure 2. Proportion of Residents with Limited English Proficiency in East Central District, By County^x



Overall, ECDHD district has a higher percentage of residents who were Veterans than compared to the state (see Table 1). Nearly 1 in 7 residents in the ECDHD were Veterans aged 18 and older and over 1 in 3 residents in Platte County were Veterans aged 18 and older. Although the US Department of Veteran Affairs (VA) assists Veterans in accessing health care and other services, eligibility status for these services depends greatly upon the branch of service, time served, and discharge status. Even when Veterans access services, challenges still exist for health care professionals to effectively understand and

treat health issues in Veterans due complex military histories and medical needs. Unlike previous generations, many younger Veterans experienced frequent deployments to multiple conflict areas, exposure to explosions in close proximity and longer tours of duty.^{xi}


Table 1. Veteran Status, ECDHD District

Veteran Status ^{xii}	% Veterans (age 18+)
Boone County	7%
Colfax County	6%
Nance County	5%
Platte County	35%
ECDHD District	14%
Nebraska	6%

Population Characteristics

District Overview

East Central District Health Department (ECDHD), headquartered in Colfax County, serves 52,890 ^{xiii} people within a four-county district comprised of Boone, Colfax, Nance and Platte counties in the northeastern part of Nebraska.



Since the ECDHD district is rural, agriculture and manufacturing related to agriculture are major economic drivers.

Quick Facts for ECDHD Region:^{xiv}


Population (2019): **52,890**
 Population Change (2010-2019): **-1.5%**
 Unemployment Rate: **2.5%**^{xv}
 Total Land Area: **2,214 square miles**

Population Demographics

Nebraska's rural population is decreasing while the urban population is increasing. Nebraska's population in the 2019 Census was estimated at 1,934,408. This count was up 5.9% from the 2010 Census and consistent with the national increase of 6.3% during the same period. Growth has occurred

in all four of the urban counties of Nebraska. Similarly, Colfax and Platte counties saw a growth in population, 1.8% and 3.8% respectively, between 2010 and 2019. Conversely according to the US Census, Boone and Nance counties within the ECDHD district experienced a decrease in population (nearly 5.8% decrease) during the same time period.

Figure 3. Overall Population Trend, ECDHD (1970-2019)




Race and Ethnicity

Nebraska has a high Hispanic population growth rate. Between 2005 and 2014, the Latino population growth rate was more than five times higher than the overall population growth rate in Nebraska (55% vs. 10%).^{xvi} Hispanics represented 5.6% of the total population in Nebraska in 2000, 9.2% in 2010, and 11.4% in 2019, and it is estimated that by 2025, the Hispanics will make up nearly a quarter of Nebraska's population (23.4%). Hispanics in Nebraska are from a variety of countries, but Mexico is the primary country of origin (76%). In the ECDHD district, the majority of the Hispanic population resided in Colfax County (47%), over two times the Hispanic population across the ECDHD district (18%) and the state (11%), followed by Platte County (20%)—see Figure 4. Racial diversity is greatest in Colfax County with 3.8% of residents identifying as Black, 3.3% as American Indian/Alaskan Native, 1.1% as Asian, and 0.5% as Native Hawaiian/Other Pacific Islander, which is more than three quarters the state percentage of resident identifying as Black (4.8%). All other counties with ECDHD are predominately White.

Figure 4. Hispanic Origin, ECDHD District


Hispanic Origin



Source: CHRR 2020

Figure 5. Race by county, ECDHD District

Races by County




Source: CHRR 2020

Median Age


The average median age in the ECDHD district was 40 years in 2018, which was four years older than the average median age in Nebraska.

Figure 6. Age Distribution, ECDHD District by county



Notably, nearly 1 in 4 adults in Boone County were 65 years and older, and about 1 in 5 adults in Nance and Platte counties were 65 years and older (22% and 18%, respectively). Colfax County (14%) was below the percentage of adults aged 65 years and older across the ECDHD district (19%) and state (16%).

Figure 7. Percent Population Aged 65+, ECDHD District



Source: CHRR 2020

County Quick Facts

Quick Facts for Boone County:^{xvii}

Population (2019): **5,192**

Population Change (2010-2019): **-5.7%**

% children under 18: **23%**

Median Household Income: **\$51,900**

% total population in poverty: **10%**

% children living in poverty^{xviii}: **13%**

Unemployment Rate: 2.5%^{xix}

Race/Ethnicity^{xx}--

% Hispanic: 2%

% non-Hispanic, White: **96%**

% Black: 0.4%


% American Indian/Alaska Native: 0.3%

% Asian: 0.3%

% Native Hawaiian/Other Pacific

Islander: 0.0%

Figure 8. Proportion of Hispanic or Latino Residents of East Central District, Boone County.^{xxi}



Quick Facts for Colfax County:^{xxii}

Population (2019): **10,709**

Population Change (2010-2019): **1.8%**

% children under 18: **30%**

Median Household Income: **\$55,800**

% total population in poverty: **8%**

% children living in poverty^{xxiii}: **13%**

Unemployment Rate: **2.3%**^{xxiv}

Race/Ethnicity^{xxv}--

% Hispanic: **47%**

% non-Hispanic, White: **48%**

% Black: 3.8%


% American Indian/Alaska Native: 3.3%

% Asian: 1.1%

% Native Hawaiian/Other Pacific

Islander: 0.5%

Figure 9. Proportion of Hispanic or Latino Residents of East Central District, Colfax County.^{xxx}



Quick Facts for Nance County:^{xxvi}

Population (2019): **3,519**

Population Change (2010-2019): **-5.8%**

% children under 18: **22%**

Median Household Income: **\$47,300**

% total population in poverty: **10%**

% children living in poverty^{xxvii}: **14%**

Unemployment Rate: **2.5%**^{xxviii}

Race/Ethnicity^{xxix}--

% Hispanic: 3%

% non-Hispanic, White: **95%**

% Black: 0.5%


% American Indian/Alaska Native: 0.8%

% Asian: 0.1%

% Native Hawaiian/Other Pacific

Islander: 0.0%

Figure 10. Proportion of Hispanic or Latino Residents of East Central District, Nance County.^{xxxi}



Quick Facts for Platte County:^{xxxii}

Population (2019): **33,470**

Population Change (2010-2019): **3.8%**

% children under 18: **26%**

Median Household Income: **\$63,700**

% total population in poverty: **9%**

% children living in poverty^{xxxiii}: **11%**

Unemployment Rate: **2.6%**^{xxxiv}

Race/Ethnicity^{xxxv}---

% Hispanic: **20%**

% non-Hispanic, White: **77%**

% Black: 0.6%


% American Indian/Alaska Native: 1.3%

% Asian: 1.0%

% Native Hawaiian/Other Pacific

Islander: 0.0%

Figure 11. Proportion of Hispanic or Latino Residents of East Central District, Platte County.^{xxxvi}




Socio-Economic Status

Economics

According to the American Community Survey five-year estimate (2015-2019), the median household income for Nebraska was \$59,724, and the median household income for the ECDHD region was \$54,675. Platte County had a median household income slightly higher than other counties in the ECDHD district and the state. There is a disparity in the median household income among Hispanic earners when compared to non-Hispanic, White earners in every county (ranging from \$3,000 to \$12,200) within ECDHD region except in Colfax County where the population ration of Hispanic to non-Hispanic, White residents is 1:1.

Figure 12. Median Household Income, ECDHD District




Nearly 1 in 4 children were from single family homes across the ECDHD region, which was less than the state average of 29%.^{xxxvii} Thirteen percent (13%) of children were living in poverty across all counties within the ECDHD region, which is the same as the state rate of 13%.^{xxxviii} ECDHD regional unemployment rate was 2.5%^{xxxix}, slightly less than the state (2.8%). Despite the low unemployment rate across the ECDHD region, families still struggled to make ends meet.

Table 2. Economic Indicators, ECDHD District

Economic Indicators	ECDHD region	Nebraska
Median Household Income ^{xi}	\$54,675	\$59,724
Children in Single-parent Households ^{xii}	23%	29%
Percentage of children under age 18 in poverty ^{xiii}	13%	13%
Unemployment ^{xiiii}	2.5%	2.8%

Figure 13. Poverty, ECDHD District



Sources: Total population: ACS 2017; Children: County Health Rankings 2020

Figure 14. Access to food—% of population who lack adequate access to food, ECDHD District






Figure 15. Children in Single-Parent Households, ECDHD District



Source: County Health Rankings 2020

Figure 16. Average Residential Value, ECDHD District



Source: NE Dept of Revenue, 2017 Annual Report of the Property Assessment Division

Figure 17. Percentage of Homes Occupied by Owner, ECDHD District





Figure 18. Percentage of Households with Severe Housing Problems, ECDHD District



Housing problems as an indicator is designed to understand the housing needs of low-income households. Figure 18 above is based on the percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities. While at least 1 in 10 households in each county within the ECDHD region experienced housing problems, all counties fall at or below the state rate (13%).

Educational Level


In terms of educational attainment, available data indicate the ECDHD region overall had a higher high school graduation rate (93%) than the state average (89%). ECDHD region had a slightly lower rate (61%) for adults who had some college (counties within the ECDHD district range from 35% to 72%) than the state (71%). Notably, there were stark disparities in educational attainment in Colfax County, the county with the most diverse population in terms of race/ethnicity in the ECDHD region as seen in Figure 19. The state and national averages (32%) for those who had completed a bachelor's degree was higher than the average for all counties in the ECDHD region (range from 15% to 22%).

Table 3. Education Indicators, ECDHD District

Education Indicators	ECDHD region	Nebraska
High school graduation rate ^{xliv}	93%	89%
Some college ^{xlv}	61%	71%
Bachelor's degree or higher, percent of persons age 25+ ^{xlvi}	19%	32%

Figure 19. Education Levels, ECDHD District

Education in ECDHD District



Sources: High school graduation: Nebraska Dept of Education 2017/2018
some college: County Health Rankings 2018; Bachelor's Degree: ACD 2011

Health Outcomes

The aforementioned social and economic factors, along with health behaviors, clinical care, and physical environment—otherwise known as modifiable health factors, directly impact how well and how long an individual lives. Furthermore, health outcomes (quality and length of life) are compounded by the presence or the absence of policies and programs that promote health and longevity.

Leading Causes of Death

Across the ECDHD district, cancer and heart disease were the leading causes of death, similar to state and national trends.

Table 4. *Leading Causes of Death, Nebraska & US*


Leading Causes of Death	
Nebraska ^{xlvii}	United States ^{xlviii}
1. Cancer	1. Heart disease
2. Heart disease	2. Cancer
3. Chronic lung diseases	3. Accidents (unintentional injuries)
4. Accidents	4. Chronic lower respiratory diseases
5. Cerebrovascular diseases	5. Stroke (cerebrovascular diseases)

Figure 20 illustrates the leading causes of death by county within the ECDHD region.^{xlix} In most cases, counties within the ECDHD region have higher rates of death due to cancer, unintentional injuries/accidents and cerebrovascular diseases than does the state. Across all counties within the ECDHD region, Colfax County suffered higher death rates from these chronic diseases than the state with the exception of cancer (150.3 and 154.8 per 100,000 population, respectively) and chronic lung disease (33.4 and 44.7 per 100,000 population, respectively). Nance County was the only county within the ECDHD region that suffered higher death rates from chronic lung disease (75 per 100,000 population) than the state (44.7 per 100,000 population), nearly 70% higher than the state. While all counties within the ECDHD experienced higher death rates from unintentional injuries/accidents, Colfax and Nance counties experienced over 2 times as many deaths than the state (80, 89.4 and 37.2 per 100,000 population, respectively). Furthermore, Colfax County was the only county within the ECDHD region that experienced higher death rates from diabetes than the state (23 and 23.7 per 100,000 population, respectively). Most all of these leading causes of death can be influenced by a healthy lifestyle and evidence-based public health strategies that include healthy eating and active living, not smoking, wearing a seatbelt, and limiting alcohol consumption.

Figure 20. *Leading Causes of Death, ECDHD District*

Leading Causes of Death

age-adjusted rate per 100,000 population (2012-2016)



*Nebraska rates (age-adjusted to 2000 US population)
Source NEDHHS Vital Statistics Report 2016

An indicator that helps communities focus on prevention is the Years of Potential Life Lost (YPLL), which is a measurement of premature death (mortality). YPLL is an estimate of the average years a person would have lived if he/she had not died prematurely—typically before the age of 75. YPLL emphasizes deaths of younger persons, whereas statistics that include all mortality are dominated by deaths of the elderly.¹ From available data, Figure 21ⁱⁱ illustrates the average Years of Potential Life Lost for each county within the ECDHD region compared to the state in 2000.

Colfax County had a higher YPLL than the state and other counties in the ECDHD district, which may be due to having had higher death rates than the state and other counties in the ECDHD district.

Figure 21. Years of Potential Life Lost (YPLL), ECDHD District

Years of Potential Life Lost (YPLL)




Source: County Health Rankings 2020

General Health

General health in the ECDHD region is slightly worse than Nebraska as a whole, with 15.9% reporting fair or poor health compared with 14% across Nebraska. General health varies slightly by sex, with more women than men reporting fair or poor health. Importantly, general health varies considerably by county with residents of Colfax County reporting the worse health and Boone County reporting the best. While data are not available for general health by race or ethnicity, Colfax County has the lowest proportion of White residents and the highest proportion of Hispanic/Latino residents of the four counties that make up ECDHD region. Alternatively, Boone County has the highest proportion of White residents and the lowest of Hispanic/Latino residents. General health may be impacted by race/ethnicity, but additional information is needed.

Figure 22. Proportion of people reporting poor or fair general health.^{lii}



Leading Causes of Chronic Disease


Four out of five of the leading causes of death in Nebraska were chronic diseases, including heart disease, cancer, chronic lung disease and cerebrovascular disease. In addition to diabetes, these chronic diseases were the most common, costly and preventable of all health problems in the U.S.^{liii} Furthermore, deaths by chronic disease comprised nearly 50% of the Years of Potential Life Lost (YPLL) among Nebraskans.^{liv} Most of these leading types of chronic disease are generally preventable through a healthy lifestyle that includes healthy eating and active living, not smoking and limiting alcohol consumption.

Cancer

Cancer is a leading cause of death in the ECDHD district and across the state. Four of the most common cancers are breast, colorectal, lung, and prostate. In the ECDHD region, female breast cancer was the leading type of cancer diagnosed (94.6/100,000 population), especially in Boone County (162.4/100,000 population) which was a 30% increase over the state rate (124.6/100,000 population). Prostate cancer followed as a close second for ECDHD district (80.5/100,000 population), especially in Platte (119.9/100,000 population) and Boone counties (114.5/100,000 population) which were higher than the state rate (111.2/100,000 population). Colorectal cancer (54.2/100,000 population) in the ECDHD region, specifically in Boone and Nance counties (50.1 and 84.0/100,000 population) was higher than the state rate (43.0/100,000 population). Of note, colorectal cancer in Nance County was nearly double the state rate (84.0/100,000 population).

Figure 23. Incidence of Common Cancers per 100,000 people.

Leading Cancer Incidence Rates, By Site




Source: State Cancer Profiles, 2012-2016

Across the ECDHD, 10% of people have ever been told they have cancer. This rate is slightly higher for women (11%) than for men (9%). The rate of people being diagnosed with cancer each year is slightly lower in Colfax County than the other three counties within the ECDHD region. Additionally, fewer people in Colfax County die of cancer each year.

Figure 24. Overall Cancer Rates—Incidence and Death, ECDHD District.

Overall Cancer Rates


Per 100,000 population, (age -adjusted, 2012 -2016)



Source: State Cancer Profiles, 2012-2016

Cancer mortality data by race and ethnicity was not readily available for the ECDHD district. Native Americans, African Americans and Whites across Nebraska had cancer mortality rates in excess of the state target of 145.2/100,000 population (see Figure 25).

Figure 25. Cancer Mortality Rates--Nebraska Racial/Ethnic Comparison (per 100,000 population), ECDHD District




*NH = Non-Hispanic

Female breast cancer was the leading type of cancer diagnosed in the ECDHD district (see Figure 23).^{lv} Monthly breast exams and regular mammograms are key to catching female breast cancer early and preventing death from female breast cancer.

Tobacco and Nicotine Product Usage

Tobacco smoking remains the leading cause of lung cancer, responsible for about 80% of lung cancer deaths. Other causes include exposure to secondhand smoke and radon.^{lvi} Cigarette smoking is the leading cause of preventable disease and death in the US. According to the CDC, the smoking rate among adults in the US has dropped from 20.9% in 2005 to 15.5% in 2016.^{lvii} According to the County Health Rankings, the smoking rate among adults in the ECDHD region was 15%^{lviii}, similar to the state smoking rate (see Figure 26); however, the smoking rate in ECDHD region remains higher than the Healthy People 2020 target (12%).

Figure 26. Tobacco Use--Smoking Rates, ECDHD District



While Nebraska has a clean indoor air ordinance prohibiting smoking in all government and private workplaces, schools, childcare facilities, restaurants, bars, casinos/gaming establishments, retail stores and recreational/cultural facilities, tobacco products are relatively easy to access and inexpensive. Nebraska's tobacco tax is \$0.64 per pack, \$1.09 lower than the national average, ranking Nebraska 42nd in the US for its cigarette tax^{lix}.

The most commonly used tobacco product among youth was e-cigarettes, and e-cigarette usage among youth increased more than any other age group in recent years (see Figures 27 and 28). E-cigarettes are devices that heat liquid solution to produce an aerosol that is inhaled. E-cigarettes contain varying amounts of nicotine depending on the type of e-cigarette; and although considered less harmful to individual health than inhaling smoke from combustible tobacco, still deliver harmful chemicals. E-cigarettes can be addictive due to the nicotine content.^{lx} E-cigarettes are marketed to youth with strategies that have been heavily regulated to reduce youth consumption of combustible cigarettes, i.e., kid-friendly flavors, scholarship opportunities for school, online/mobile and TV ads.^{lxi} Nebraska has experienced marked increases in e-cigarette use among youth.

Figure 27. Tobacco Use--Youth E-Cigarette Use Rate, Nebraska





Figure 28. Tobacco Use—Other Tobacco Product Use Rate, Nebraska



Heart Disease

Heart disease is one of the top two leading causes of death in the ECDHD district and across the state. Leading a healthy lifestyle, including active living, healthy eating, not smoking and limiting alcohol use, and/or managing other medical conditions, high cholesterol, high blood pressure, or diabetes, reduces the risk of heart-related diseases, including heart attack and stroke. In Nebraska, non-Hispanic, White (81.1/100,000), African American (93.9/100,000), and Native American (94.6/100,000) populations have a higher rate of death due to heart disease than the state (77.4/100,000).^{lxii}

According to the BRFSS, 4.5% of adults in ECDHD have ever been told they had a heart attack or coronary heart disease (men 4.8%, women 4.2%). In terms of high blood pressure, adults living in Nance County experience a higher rate of high blood pressure than adults living in other counties within the ECDHD region or in Nebraska (25%). According to Good Neighbor Patient Data (2020), non-Hispanic adults experience higher rates than Hispanic adults, similarly men experience higher rates of high blood pressure than women.

Figure 29. Blood Pressure Rates by County, ECDHD District^{lxiii}





Figure 30. Blood Pressure Rates by Race/Ethnicity/Gender, ECDHD District



Source: Good Neighbor Patient Data (2020)

Overweight/Obesity

According to the 2020 County Health Rankings, over 1 in 3 adults in the ECDHD district were considered obese (Body Mass Index [BMI] = 30+), similar to the state (32%). Over 80% of men and nearly 70% of women were obese. According to data from Good Neighbor, a Federally Qualified Health Center located in Platte County, nearly 3 out of 4 adult patients were overweight (BMI = 25+) or obese, higher than the state rate (67%), and over 1 in 3 adult patients were obese (BMI = 30+). More men than women patients and more Hispanic than non-Hispanic patients were obese. Platte County has the highest obesity rate (36%) among all counties within ECDHD region and Nance County has the lowest obesity rate (31%).

Figure 31. Obesity Rates, ECDHD District




Table 5. Overweight/Obesity Rates, ECDHD

Overweight/Obesity Rates	Good Neighbor Patients ^{lxiv}		BRFSS ^{lxv}	
	BMI=25-29	BMI=30+	BMI=25-29	BMI=30+
Nebraska (CHRR 2020)			35%	32%
ECDHD District			36%	39%
Men	27%	43%	82%	
Women	39%	33%	67%	
Hispanic	35%	36%		
Non-Hispanic, White	41%	31%		
Black	67%			
White	72%			
Other Race	63%			

Physical Activity

According to the County Health Rankings, active living was not a routine behavior for many adults in the ECDHD district. Despite the majority of adults (69%)^{lxvi} in the ECDHD region indicating that they had adequate access to locations for physical activity, over 1 in 4 adults reported no leisure-time physical activity in the past 30 days. Among all counties within the ECDHD region, Platte County had the highest

number of adults who reported adequate access to locations for physical activity (84%) and the lowest number of adults who reported no leisure-time physical activity in the past 30 days (23%), yet Platte County had the highest obesity rate (36%) across the ECDHD region. More information is needed to understand why.

Figure 17. Physical Activity—Adequate access to locations for physical activity, ECDHD District






Figure 32. Physical Activity—No Leisure-Time, ECDHD District



Active living and access to foods, namely healthy, are keys to preventing chronic disease. While lower than the state rate, nearly 1 in 10 residents in ECDHD are food insecure, lacking adequate access to food. Likewise, nearly 1 in 12 low-income residents do not live close to a grocery store in the ECDHD region making access to healthy foods challenging.

Figure 33. Access to healthy foods—limited access, ECDHD District




Diabetes

Diabetes is a chronic disease that impacts how a body gets energy from food. Diabetes is the 7th leading cause of death in the US with more than 88 million US adults diagnosed with diabetes. Over the past 20 years, the number of adults diagnosed with diabetes has more than doubled. Overweight/obesity and age are factors that impact the risk of diabetes.^{lxvii} Often times, diabetes and heart disease are co-occurring. A person with diabetes is 2 times more likely to have heart disease or stroke, the leading causes of death.^{lxviii} Generally, diabetes rates in ECDHD region are similar to the state rate. However, Boone and Nance counties experience a slightly higher diabetes rate than the other counties within ECDHD perhaps due to higher proportion of an aging population in these two counties.

Figure 34. Diabetes rates—by county, ECDHD District

Diabetes Rates



Source: County Health Rankings 2020

There are racial/ethnic disparities when looking at the state diabetes rates with African American/Black (15%), American Indian/Alaskan Native (16%) and Hispanic (14%) populations who experience higher rates of diabetes than non-Hispanic, Whites across the state. While we do not have race/ethnicity data for diabetes by county, racial/ethnic groups experience higher rates of diabetes in ECDHD according to Good Neighbor Patient data (a FQHC located in Platte County that serves ECDHD residents), see Figure 35. In ECDHD, men generally have higher diabetes rates than women.

Figure 35. Diabetes rates—by race and ethnicity, NE and ECDHD District




Figure 36. Diabetes rates—by gender, ECDHD District

	Diabetes Rates	
	Good Neighbor Patient Data (2020)	BRFSS ^{lxix}
Nebraska (CHRR 2020)		9%
ECDHD District	7%	9%
Men	8%	12%
Women	7%	8%

Leading Causes of Injury


Deaths by injury comprised approximately 20% of the total YPLL among Nebraskans.^{lxx}

Table 6. Leading causes of injury, Nebraska

Table 6: Leading causes of injury	
Leading causes of <i>death</i> by injury in Nebraska (2009-2013)	Leading causes of <i>hospitalizations</i> due to injury in Nebraska (2009-2013)
<ol style="list-style-type: none"> 1. Motor vehicle crashes 2. Suicide 3. Unintentional falls 4. Unintentional poisoning 	<ol style="list-style-type: none"> 1. Unintentional falls 2. Unintentional injuries due to motor vehicle traffic 3. Self-inflicted injuries


In the ECDHD district, all counties experienced higher rates of death by injury than the state. While specific county-level data is not readily available around the leading causes of death, of particular note, the death by injury rate in Boone County was over 50% higher than the state (see Figure 37^{lxxi}).

Figure 37. Injury Death Rate (per 100,000), ECDHD District



The death rate caused by alcohol-impaired driving in the ECDHD district (32%) was similar to the state rate (34%)^{lxxii}. Specifically, Colfax and Nance counties experienced higher death rates caused by alcohol-impaired driving than the state (see Figure 38).

Figure 38. Alcohol-Impaired Driving--Death Rate, ECDHD District



Behavioral/Mental Health and Related Risk Factors

Mental health impacts a person's ability to maintain good physical health and vice versa. Mental health is strongly associated with the risk, prevalence, progression, outcome, treatment and recovery of chronic diseases, including diabetes, heart disease and cancer. Good mental health is essential for a person to live a healthy and productive life.^{lxxiii}

According to the Nebraska Behavioral Health Needs Assessment in 2016, mental health illness was a common health problem in Nebraska. One in five Nebraskans reported any mental illness—defined as any diagnosable mental, behavioral or emotional disorder other than substance use disorder. Nebraska's rate is similar to the US rate (18.13%). Concerning, although less common, 4%-7% of Nebraskans reported having serious thoughts of suicide, a major depressive episode, or serious mental illness—defined as a mental disorder causing significant interference with one or major life activity.

Table 7 below summarizes the mental health indicators for Nebraska and the ECDHD district from the 2020 County Health Rankings. Compared to the state, as a whole, ECDHD counties is relatively aligned across all five indicators with the exception of Colfax County, which reported an increased percentage of adults who stated their general health was fair to poor.

Table 7. Mental Health problem indicators in ECDHD District: Based on 2011-2017 Behavioral Health Risk Factor Surveillance System Data


	General health fair or poor	Average days mental health was not good in past 30 days	Mental health was not good on 14 or more of the past 30 days (i.e., frequent mental distress)
Nebraska	14%	3.5	10%
ECDHD District	15%	3.3	10%
Boone	12%	3.3	9%
Colfax	19%	3.3	10%
Nance	13%	3.4	10%
Platte	14%	3.3	9%

According to the Nebraska Youth Risk Behavior Survey (YRBS) 2014-2015 data, approximately 1 in 4 Nebraska high school youth reported feeling depressed compared to nearly 1 in 3 youth nationwide (24.1% vs 29.9%). Female students had a significantly higher rate of depression (31.4% vs. 17.1%), of considering a suicide attempt (18.0% vs. 11.3%) and of making a suicide plan (17.0% vs. 9.8%) compared to male students.^{lxxiv}

Suicide Risk

In Nebraska, the rate of suicide across all ages was similar to the rate of suicide for the US (13.05 vs. 13.42—per 100,000 population). Suicide is the 10th leading cause of death in Nebraska, and the second leading cause of death for ages 15-34.^{lxxv} All counties within the ECDHD region were at higher risk for youth suicide ideation and attempts. Of particular note, youth in Boone, Platte and Colfax counties were at very high risk of suicide ideation and attempts. Figure 39 shows this risk for each county across the state based on the average responses to two questions on the Nebraska Risk and Protective Factors Surveillance System in 2016: 1) “During the past 12 months did you ever seriously consider attempting suicide?” and 2) “During the past 12 months, did you actually attempt suicide?”

Figure 39. Risk level for youth suicide ideation and attempts by county based on the 2016 results from the Nebraska Risk and Protective Factors Surveillance System




Veterans are at **higher risk for several negative behavioral health outcomes – most alarmingly, suicide**. Data from the 2016 Behavioral Risk Factor Surveillance System (BRFSS) show that veteran families are also impacted. Statewide, when compared to other demographic groups, Nebraska's Veteran spouses and partners report having more poor mental health days and are more likely to have been told that they have depression.^{lxxvi}

Adverse Childhood Experiences


Adverse childhood experiences (ACEs) are one of the most accurate predictors of lifelong health and well-being.^{lxxvii} ACEs are stressful or traumatic events that occur before age 18^{lxxviii} and can include things such as a child experiencing abuse and neglect; family effects of struggling to get by financially; seeing/hearing violence in the home; witnessing and/or being the target of neighborhood violence; living with anyone mentally ill, suicidal, or depressed; living with anyone with alcohol or drug problems; experiencing parents who are divorced/separated or serving jail time.^{lxxix} The landmark Kaiser ACE study showed dramatic links between ACEs and the leading causes of death, risky behaviors, mental health and serious illness.^{lxxx} Figure 40 demonstrates the ACE Pyramid, used as the conceptual framework for the Kaiser Study.^{lxxxi}

Figure 40. ACE Pyramid



In 2016 across the state, 42% of children experienced one (1) or more ACEs. Of those, 22% of children experienced 1-2 ACEs and 20% experienced 3+ ACEs^{lxxxii}, which was similar to the US rate of 21.7%^{lxxxiii}. Figure 41 illustrates the percent of children by ACE category in Nebraska.^{lxxxiv}

Figure 41. Percent of children by ACE category in Nebraska



Resilience is the ability to adapt to stressful or traumatic events, such as ACEs. Resilience is not a genetic factor but more of a learned behavior. Resilience can be cultivated in anyone.^{lxxxv} Children who experience protective family routines and habits, such as limited screen time, no TV/screen time in bedrooms, parents who have met all or most of the child's friends, and parents who participate in a child's extracurricular activities^{lxxxvi}, are less likely to experience ACEs.^{lxxxvii} Community-based strategies to provide safe, stable, nurturing relationships and environments to increase resilience and to reduce ACEs can include:

Program based^{lxxxviii}:

- Home visiting programs for pregnant women and families with newborns
- Parenting training programs
- Intimate partner violence prevention programs
- Social support for parents
- Teen pregnancy prevention and parent support programs for teens
- Treatment for mental illness and substance abuse
- High quality, affordable childcare
- Sufficient income support for low-income families

System/Policy based^{lxxxix}:

- Increase awareness of ACEs and their impact on health within both the professional and public spaces
- Increase capacity of health care providers to assess for the presence of ACEs and appropriate response
- Enhance capacity of communities to prevent and respond to ACEs through investment in evidence-based prevention programming, trauma interventions and increased access to needed mental health and substance abuse services
- Increased funding for ACE-specific surveys in order to increase their utility and scope


Substance Use Disorders

Like mental health, substance use disorders are among the top causes of disability in the US and can make daily activities hard to accomplish.^{xc} Furthermore, substance use and addiction can advance the development of mental illness due to the effects of substances in changing the brain in ways that make a person more likely to develop a mental illness. Likewise, mental illness can lead to drug use and substance use disorders.^{xcj}

Alcohol Use

In 2015, Nebraska ranked 47th in the nation for the prevalence of binge drinking (20.3%), a stark difference when compared to West Virginia (ranked 1st, less than 10%).^{xcii} Excessive alcohol consumption, in either the form of binge drinking (more than 4 drinks on one occasion for men or more than 3 drinks on one occasion for women) or heavy drinking (drinking more than 14 drinks per week for men or more than 7 drinks per week for women), is associated with an increased risk of many health problems.^{xciii} The 2020 County Health Rankings indicated 1 in 5 adults in the ECDHD region reported binge drinking in the past 30 days and heavy drinking in the past 30 days, which was similar to the state rate (22%).

Figure 42. Alcohol Use, ECDHD District



Maternal and Perinatal Outcomes

Health outcomes around pregnancy and birth are important as they can be an indicator of access to and use of prenatal care. Infant mortality (death of an infant before his/her first birthday) is an indicator of maternal and child health within a community. More importantly, this indicator is a marker of overall health of a community due to the associations between the causes of infant death and other factors that are likely to influence health—such as social and economic factors, general living conditions and other quality of life factors.^{xciiv}

The infant mortality rate (the number of infant deaths per 1,000 live births in the same year) in the US was 5.9 in 2016.^{xciiv} Nebraska fairs a little bit better than the US with an infant mortality rate of 5.^{xciiv} Infant mortality ranges from 0 infant deaths per 1,000 births in Boone County to 8.9 infant deaths per 1,000 births in Colfax County. The rate of low-birthweight infants is more consistent, with Boone, Nance, and Platte Counties reporting 6% of births as low-weight and Colfax County reporting 5%. When births in Colfax and Platte Counties are looked at by ethnicity, slight differences are seen between Hispanic or Latino residents and non-Hispanic White residents. However, the differences are not consistent with Hispanic or Latino residents having a higher rate of low-weight births in Colfax County and a lower rate in Platte County.

Figure 43. Infant Mortality per 1,000 Births.^{xcvii}





Figure 44. Rate of Low-Birthweight Infants, 2012-2018.^{xcviii}



Births to teens age 15-19 show a clear discrepancy between Hispanic or Latino residents and non-Hispanic White residents. In Colfax and Platte Counties, Hispanic or Latino teenagers give birth at much higher rates than non-Hispanic White teenagers.

Figure 45. Births per 1,000 female population ages 15-19.^{xcix}




Table 8 provides an overview of the birth statistics, maternal and child health indicators. Notably, the teen birth rate in Colfax County was almost two times the rate of other counties in the ECDHD district and higher than the state rate (an average of 25 and 21, respectively).

Table 8. Maternal and Child Health Indicators, ECDHD District


Maternal and Child Health Indicators	Boone	Colfax	Nance	Platte	ECDHD District	NE
Birth rate ^c	10.5	11.2	13.5	13.3	12.1	13.9
Teen birth rate ^{ci}	15	42	14	27	25	21
Low birthweight ^{cii}	6%	5%	7%	6%	0	7%

Healthcare Access and Utilization

Healthcare Insurance Coverage

To provide a county snapshot for uninsured among the population under age 65, the latest County Health Rankings (using 2017 data; see Figure 46) reported that adults under age 65 in the ECDHD district were insured more than the state average (12%), with the exception of Colfax County where uninsured adults were almost 2 times the state rate. Uninsured children in ECDHD district (7%) was higher than the state rate (5%), noting that Colfax County had the highest rate (9%) of uninsured children of all counties within the ECDHD district.


Figure 46. Uninsured Rates—ECDHD District



Healthcare Providers

While lack of health insurance, cost of health care services and age of clientele may be contributing factors of not accessing health care, health professional shortages can compound the issue. According to the Health Resources and Services Administration (HRSA), some counties and areas within counties that comprise the ECDHD district were designated as Medically Underserved Areas (MUA). MUAs are “counties, a group of counties or civil divisions, or a group of urban census tracts in which residents have a shortage of personal health services.” The following map (Figure 47) illustrates the federal health professional shortage area for primary care across the state in 2018. Notably, all of Boone County and parts of Colfax, Nance and Platte counties were designated as MUA/MUPs for primary care.


Figure 47. Primary Care, Federally Designated Medically Underserved Areas/Populations



Generally, emergency rooms and primary care offices are the most common place where people with behavioral health needs seek care. Often clinicians in these settings do not have the resources and/or training to appropriately respond to behavioral health needs. Overall, 66% of primary care providers report that they are unable to respond to people with behavioral health needs due to a shortage of mental health providers and to insurance barriers.^{ciii}

Most all counties in the state are designated as mental health professional shortage areas (see Figure 48). In the ECDHD district, there were an average of 2,875 people for every one mental health provider (range: 1310:1 to 5,440:1), and nearly 7 times as many people to mental health provider as the state and US averages (420:1, 470:1 respectively).^{civ} According to the 2016 Nebraska Behavioral Health Needs Assessment, only 47% of adults in Nebraska with any mental illness received treatment. Additionally, only 43% of youth in Nebraska with depression received treatment. Furthermore, only 11% of persons aged 12 or older in Nebraska with illicit drug dependence or abuse received treatment. Even with ECDHD's known mental health professional shortage area designation, access to behavioral health care may be further complicated by other barriers, including lack of insurance coverage and stigma often associated with mental illness.^{cv}

Figure 48. Mental Health Care, State-Designated Shortage Areas



In other health professional care, including dentistry and pharmacy, counties within ECDHD were designated as shortage areas. Figures 49, 50, and Table 9 illustrate these shortages.

Figure 49. Dentistry, State-Designated Shortage Areas




Figure 50. Pharmacist, State-Designated Shortage Areas




Table 9. Ratio of Population per Type of Provider, ECDHD District

Ratio of **Population : Type of Provider** (2020)

	NE	Boone	Colfax	Nance	Platte
Primary care physicians	1330:1	670:1	No Data	No Data	1380:1
Dentists	1300:1	1310:1	5440:1	1770:1	2220:1
Mental health providers	380:1	5240:1	No Data	No Data	510:1

Source: CHRR 2020

Health Care and Prevention Assets

In the ECDHD district, health care providers and services include 4 area hospitals/health systems—Boone County Health Center located in Albion (Boone County), CHI Health Schuyler located in Schuyler (Colfax County), Genoa Community Hospital located in Genoa (Nance County) and Columbus Community Hospital (Platte County). The area also has one Federally Qualified Health Center (FQHC; Good Neighbor in Columbus, Platte County) and several other medical clinics all of which provide primary care, dental, health prevention and promotion and emergency care services. Many medical clinics in the ECDHD district are open traditional business hours (from 8:00am to 5:00pm, Monday through Friday), except for the FQHC located in Platte County which offers services on a sliding-fee scale, seven days a week. Additionally, ECDHD district has dental clinics, located in Boone, Colfax, Nance, and Platte Counties, and EMS service providers. Providers offering specialty services travel to these medical clinics from outside of the ECDHD district and hold office hours from weekly to once monthly at select medical clinics/hospitals.

Boone County Health Center, located in Albion, Nebraska, is a recognized leader in providing a continuum of healthcare to the 10,000 rural residents in Boone, Antelope, Greeley, western Madison and Platte, Nance and Wheeler Counties. The Health Center is a county hospital, twenty-five bed, five nursery facility, that sees over 70,000 outpatient visits and over 30,000 clinic visits on an annual basis and is the primary source of healthcare for the rural communities it serves in the towns of Albion, Spalding, Newman Grove, Fullerton and Elgin. With eight physicians and four physician assistants, a well-rounded medical staff is present to meet the needs of the patients and their families. In addition, two affiliate physician clinics are in St. Edward and Cedar Rapids. Services provided by the 250 employees at the Health Center include; cardiac rehab, physical therapy, occupational therapy, speech therapy, radiology (ultra sound, digital mammography, nuclear medicine, CT, open MRI, dexta scanner, fluoroscopy and general x-ray), full laboratory services, oncology, aesthetics care, full OB services, home health and mental health services. In addition to the services provided by our local staff, a full range of seventeen specialty clinics are scheduled throughout the month to allow patients the ability to obtain these services at home.

CHI Health Schuyler, located in Schuyler, Nebraska, is a 25 bed Critical Access Hospital. The physicians, nurses, and other associates at this faith-based community hospital are committed to delivering personalized, compassionate care to approximately 10,441 individuals that reside in Colfax County. Such care takes many forms - technologically advanced medical services, quality health education, health screenings, and more. Beyond the hospital walls, Memorial Hospital works closely with businesses, community groups, churches, schools, social service agencies, and others to build a healthier community. Acute care and outpatient services include general medical surgical care, skilled nursing care, home health care, outpatient specialty care that includes general surgery, cardiology, urology, gastrointestinal, orthopedic, gynecology, otolaryngology, nephrology, and podiatry services. Restorative services such as physical therapy and cardiac rehabilitation are also available. A full complement of diagnostic services are offered for the laboratory and radiology which include: CT, MRI, mammography, ultrasound, nuclear medicine, echocardiograms, and vascular exams.

Genoa Medical Facilities (GMF) is the sole health care facility in Nance County, Nebraska, located in the city of Genoa, NE. GMF is comprised of the hospital, long-term care, and assisted living facilities. The hospital is a 19-bed, critical access, city owned, non-profit facility. GMF provides healthcare for a community of almost 5,000 people within a 10-mile radius. The 35-bed long term care unit and the 20-unit assisted living facility provide a home for those whose needs include additional living care. Most

importantly, GMF provides the care for the people of the community. The care people receive here pales by comparison to the services offered at large facilities. For this reason, the community is uniquely supportive of the hospital's mission, which is to be "Champions for Rural Healthcare."

Columbus Community Hospital is a community-owned, not-for-profit hospital. The facility opened its doors at its new location in August 2002 and is located on 60 acres in the northwest part of Columbus, NE. The Hospital is a 47 bed acute care facility (certified for swing beds), with 4 skilled nursing beds and 14 ambulatory outpatient beds, all private rooms. Columbus Community Hospital is licensed by the Nebraska State Board of Health and is accredited through The Joint Commission. The Hospital is also a member of the Nebraska Hospital Association (NHA), American Hospital Association (AHA), Voluntary Hospital Association (VHA) and Heartland Health Alliance (HHA). Columbus Community Hospital's success can be measured in the quality of its facilities and the commitment of volunteers, staff, board, and physicians. Leadership consists of an 11-member Board of Directors, President/CEO, 4 Vice-Presidents, 38 members of the Medical Staff, over 550 employees, and 300+ volunteers. In October 2010, the Hospital expanded services in the Emergency Department, increase patient privacy in the registration area and create a women's imaging center.

Access for Aging Populations:

Multiple nursing homes are available in the ECDHD district offering assisted living and around the clock nursing care for residents. Home-health professional and agencies are present in the ECDHD district. Additionally, senior centers and the Area Agency on Aging offer older adult prevention programming, such as activities, assistance and referrals to resources.

Access for Veteran Populations:


Multiple agencies in the ECDHD district offer services for Veterans and their families. Support services for Veterans and their families are offered by agencies such as local churches, local Veterans of Foreign Wars (VFW) posts, American Legions, County Veteran Service Officers and the Department of Labor.

In addition to these services, ECDHD spearheads the VetSET program in the district. The VetSET program focuses on building systems of whole community support by connecting cross-sector partners for Veterans and their families. ECDHD staff and partners have been trained in the No Wrong Door training, a day-long deep dive into military culture and life where participants learn about military experiences and how they influence emotions and behaviors by hearing from Veterans, their families and experts in the field.

Preventative Screenings

In the ECDHD region, female breast cancer was the leading type of cancer diagnosed, especially in Boone County which has the highest proportion of adults who fall within the 65-74 age range of all counties in the ECDHD region. Half of women who were Medicare enrollees and aged 65-74 in the ECDHD district were not up to date on their recommended breast cancer screening, especially in Boone County (58%).

Figure 51. % of Medicare enrollees (ages 65-74) with annual mammogram (CHRR 2020), ECDHD district



Barriers to Accessing Health Care

Accessing health care is complicated by multiple factors, such as the ability to travel to care locations, location and number of healthcare providers, types and costs of services offered, insurance coverage, etc. The area hospitals are located in different parts of the district and have multiple clinic locations, keeping driving distance fairly low. However, inclement weather, especially snow, can impact accessibility to healthcare services. There is also some variability in the maintenance of roads with main highways receiving the most attention and gravel roads receiving less attention after a significant snowfall which can delay travel to any service. Many residents in ECDHD district lived on gravel roads that experience this variability in the maintenance of those roads. Mass transportation is very limited throughout the ECDHD district.

Cost of healthcare services can be another barrier to care for ECDHD residents. In the ECDHD region, over 1 in 10 adults aged 18-64 had no health care coverage, and Colfax County had 2 times the rate of uninsured adults than ECDHD as a whole.^{cvi} Though data are not available for ECDHD by race/ethnicity, Hispanics had the highest uninsured rates of any racial or ethnic group across the state (57.7%)^{cvi} and nation.^{cvi} In the US, Medicare provides universal health coverage to adults 65 and older; however, cost-sharing and premium contributions continue to be a serious burden for many.^{cix}

Healthcare professional shortages is another barrier to care for ECDHD residents. Furthermore, across the state, nearly 1 in 2 Hispanics and 65% of Native American's reported not having a personal doctor or health care provider.^{CX}

Community Themes and Strengths

ECDHD developed a Community Survey and worked with partners to deliver the survey to residents through the district. The survey was made up of Likert-scale, ranking and open-ended questions. The goal of the survey was to assess the communities' perception regarding the issues that are important to their health and wellbeing and the quality of life in their respective communities. This survey was available in English and Spanish and in print and online.

Based on preliminary results, the majority of survey respondents self-identified as female, white, middle to upper-middle class, college educated and had health insurance. While not representative of the population of the region, as a whole, many of the survey responses are supportive of the other data collected as part of this Health Status Assessment. The survey revealed the following:

Figure 52. Top 5 Concerns, ECDHD District

Top 5 concerns where you live, in order of importance





Figure 53. Top 5 Behaviors that negatively impact overall health in the community, ECDHD District

Top 5 behaviors that have a negative impact on overall health in our community



Appendices

Appendix A: List of Tables

Table 1. Veteran Status, ECDHD District	8
Table 2. Economic Indicators, ECDHD District	15
Table 3. Education Indicators, ECDHD District.....	19
Table 4. Leading Causes of Death, Nebraska & US	20
Table 5.Overweight/Obesity Rates, ECDHD	30
Table 6. Leading causes of injury, Nebraska	34
Table 7. Mental Health problem indicators in ECDHD District: Based on 2011-2017 Behavioral Health Risk Factor Surveillance System Data.....	37
Table 8. Maternal and Child Health Indicators, ECDHD District	43
Table 9. Ratio of Population per Type of Provider, ECDHD District.....	47

Appendix B: List of Figures

Figure 1. County Health Rankings and Roadmaps Framework.....	6
Figure 2. Proportion of Residents with Limited English Proficiency in East Central District, By County	7
Figure 3. Overall Population Trend, ECDHD (1970-2019)	9
Figure 4. Hispanic Origin, ECDHD District	9
Figure 5. Race by county, ECDHD District	10
Figure 6. Age Distribution, ECDHD District by county.....	11
Figure 7. Percent Population Aged 65+, ECDHD District.....	11
Figure 8. Proportion of Hispanic or Latino Residents of East Central District, Boone County.	12
Figure 9. Proportion of Hispanic or Latino Residents of East Central District, Colfax County.	13
Figure 10. Proportion of Hispanic or Latino Residents of East Central District, Nance County.....	13
Figure 11. Proportion of Hispanic or Latino Residents of East Central District, Platte County.	14
Figure 12. Median Household Income, ECDHD District	14
Figure 13. Poverty, ECDHD District	16
Figure 14. Access to food—% of population who lack adequate access to food, ECDHD District	16
Figure 15. Children in Single-Parent Households, ECDHD District.....	17
Figure 16. Average Residential Value, ECDHD District.....	17
Figure 17. Percentage of Homes Occupied by Owner, ECDHD District	18
Figure 18. Percentage of Households with Severe Housing Problems, ECDHD District	18
Figure 19. Education Levels, ECDHD District.....	19
Figure 20. Leading Causes of Death, ECDHD District	20
Figure 21. Years of Potential Life Lost (YPLL), ECDHD District	21
Figure 22. Proportion of people reporting poor or fair general health.....	23
Figure 23. Incidence of Common Cancers per 100,000 people.....	23
Figure 24. Overall Cancer Rates—Incidence and Death, ECDHD District.	24
Figure 25. Cancer Mortality Rates--Nebraska Racial/Ethnic Comparison (per 100,000 population), ECDHD District.....	25
Figure 26. Tobacco Use--Smoking Rates, ECDHD District	26
Figure 27. Tobacco Use--Youth E-Cigarette Use Rate, Nebraska.....	27
Figure 28. Tobacco Use—Other Tobacco Product Use Rate, Nebraska	27
Figure 29. Blood Pressure Rates by County, ECDHD District	28
Figure 30. Blood Pressure Rates by Race/Ethnicity/Gender, ECDHD District.....	29
Figure 31. Obesity Rates, ECDHD District	30
Figure 32. Physical Activity—No Leisure-Time, ECDHD District.....	31
Figure 33. Access to healthy foods—limited access, ECDHD District	32
Figure 34. Diabetes rates—by county, ECDHD District.....	32
Figure 35. Diabetes rates—by race and ethnicity, NE and ECDHD District	33
Figure 36. Diabetes rates—by gender, ECDHD District.....	34
Figure 37. Injury Death Rate (per 100,000), ECDHD District.....	35
Figure 38. Alcohol-Impaired Driving--Death Rate, ECDHD District.....	36
Figure 39. Risk level for youth suicide ideation and attempts by county based on the 2016 results from the Nebraska Risk and Protective Factors Surveillance System	38
Figure 40. ACE Pyramid	39
Figure 41. Percent of children by ACE category in Nebraska.....	39

Figure 42. Alcohol Use, ECDHD District.....	41
Figure 43. Infant Mortality per 1,000 Births.	42
Figure 44. Rate of Low-Birthweight Infants, 2012-2018.....	42
Figure 45. Births per 1,000 female population ages 15-19.....	43
Figure 46. Uninsured Rates—ECDHD District	44
Figure 47. Primary Care, Federally Designated Medically Underserved Areas/Populations.....	45
Figure 48. Mental Health Care, State-Designated Shortage Areas.....	46
Figure 49. Dentistry, State-Designated Shortage Areas	46
Figure 50. Pharmacist, State-Designated Shortage Areas	47
Figure 51. % of Medicare enrollees (ages 65-74) with annual mammogram (CHRR 2020), ECDHD district	50
Figure 52. Top 5 Concerns, ECDHD District.....	51
Figure 53. Top 5 Behaviors that negatively impact overall health in the community, ECDHD District	52

Appendix C: References

- ⁱ US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ⁱⁱ US DHHS, HRSA, Rural Health Information Hub. 2019. Am I rural tool
- ⁱⁱⁱ Public Health Foundation. Becoming a Community Chief Health Strategist. Retrieved 10/17/2020 at http://www.phf.org/consulting/Pages/Becoming_the_Community_Chief_Health_Strategist.aspx
- ^{iv} Bennett, KJ, Olatosi, B, Probst, JC. 2008. Health Disparities—A Rural-Urban Chartbook. 2008. South Carolina Rural Health Research Center.
- ^v Meit, M., Knudson, A., Gilbert, T., Yu, A. T. C., Tanenbaum, E., Ormson, E., & Popat, M. S. (2014). The 2014 update of the rural-urban chartbook. *Rural Health Reform Policy Research Center*.
- ^{vi} US Dept of Education. National Center for Health Statistics. (2006). The health literacy of America's adults: Results from the 2003 national assessment of adult literacy.
- ^{vii} Indian Health Service Health Literacy Workgroup. (2017, July 17). *Indian Health Service: White Paper on Health Literacy*. page 2
- ^{viii} USDHHS, Office of Minority Health. Profile: Hispanic/Latino Americans. 2019
- ^{ix} Ngelay, B. and Sanders, S. 2016. Profile of the Karenni Community in Nebraska.
- ^x US Census Bureau, American Community Survey, 2013-2017 via CARES
- ^{xi} Ross, P. T., Ravindranath, D., Clay, M., & Lypson, M. L. (2015). A Greater Mission: Understanding Military Culture as a Tool for Serving Those Who Have Served. *Journal of graduate medical education*, 7(4), 519–522. doi:10.4300/JGME-D-14-00568.1
- ^{xii} US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ^{xiii} US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ^{xiv} US Census Bureau, Quick Facts, 2019
- ^{xv} County Health Rankings and Roadmaps, 2020
- ^{xvi} University of Nebraska Omaha, Office of Latino/Latin American Studies, “*Latinos and the Economic Downturn in Nebraska*”, July 2016 <https://www.unomaha.edu/college-of-arts-and-sciences/ollas/files/pdfs/publications-presentations/report-latinos-and-the-economic-downturn-2016.pdf>, page 1
- ^{xvii} US Census Bureau, Quickfacts, 2019
- ^{xviii} County Health Rankings and Roadmaps, 2020
- ^{xix} Nebraska Legislative Research Office, (2018), Nebraska Counties at-a-glance research report
- ^{xx} County Health Rankings and Roadmaps, 2020
- ^{xxi} US Census Bureau, American Community Survey, 2013-2017 via CARES
- ^{xxii} US Census Bureau, Quickfacts, 2019
- ^{xxiii} County Health Rankings and Roadmaps, 2020
- ^{xxiv} Nebraska Legislative Research Office, (2018), Nebraska Counties at-a-glance research report
- ^{xxv} County Health Rankings and Roadmaps, 2020
- ^{xxvi} US Census Bureau, Quickfacts, 2019
- ^{xxvii} County Health Rankings and Roadmaps, 2020
- ^{xxviii} Nebraska Legislative Research Office, (2018), Nebraska Counties at-a-glance research report
- ^{xxix} County Health Rankings and Roadmaps, 2020
- ^{xxx} US Census Bureau, American Community Survey, 2013-2017 via CARES
- ^{xxxi} US Census Bureau, American Community Survey, 2013-2017 via CARES
- ^{xxxii} US Census Bureau, Quickfacts, 2019
- ^{xxxiii} County Health Rankings and Roadmaps, 2020
- ^{xxxiv} Nebraska Legislative Research Office, (2018), Nebraska Counties at-a-glance research report
- ^{xxxv} County Health Rankings and Roadmaps, 2020
- ^{xxxvi} US Census Bureau, American Community Survey, 2013-2017 via CARES
- ^{xxxvii} County Health Rankings and Roadmaps, 2020
- ^{xxxviii} County Health Rankings and Roadmaps, 2020
- ^{xxxix} US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ^{xl} US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ^{xli} County Health Rankings and Roadmaps, 2020
- ^{xlii} County Health Rankings and Roadmaps, 2020
- ^{xliii} Nebraska Legislative Research Office, (2018), Nebraska Counties at-a-glance research report
- ^{xliv} Nebraska Department of Education, School Profile Data 2017/2018
- ^{xlv} County Health Rankings and Roadmaps, 2020
- ^{xlvi} US Census Bureau, 2015-2019 American Community Survey 5-year estimates
- ^{xlvii} Nebraska DHHS, 2016, Vital Statistics Report

-
- xlvi Heron, M. Deaths: Leading Causes for 2016. National Vital Statistics Reports; vol 67 no 6. Hyattsville, MD: National Center for Health Statistics, 2018.
- xlvi Nebraska DHHS, 2016, Vital Statistics Report
- l County Health Rankings and Roadmaps, 2020
- li County Health Rankings and Roadmaps, 2020
- lii County Health Rankings and Roadmaps, 2020
- liii Nebraska DHHS, Chronic Disease Surveillance Report, 2011
- liv Nebraska DHHS, Injury in Nebraska Report 2009-2013
- lv State Cancer Profiles, 2012-2016
- lvi American Cancer Society, 2019, What causes non-small cell lung cancer?
- lvii CDC, National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health, 2019, Current cigarette smoking among adults in the United States.
- lviii County Health Rankings and Roadmaps, 2020
- lix Truth Initiative, 2019, Tobacco use in Nebraska 2019
- lx Truth Initiative, 2018, E-cigarettes: Facts, stats and regulations
- lxi Truth Initiative, 2018, E-cigarettes: Facts, stats and regulations
- lxii Nebraska DHHS, Office of Health Disparities and Health Equity, Heart Disease and Stroke Dashboard
- lxiii Centers for Disease Control and Prevention, Behavioral Risk Factor Surveillance System, 2006-2012 via CARES
- lxiv Good Neighbor Clinic Data, 2020
- lxv Nebraska Behavioral Risk Factor Surveillance System (BRFSS) 2019
- lxvi County Health Rankings and Roadmaps, 2020
- lxvii Centers for Disease Control and Prevention, Diabetes basics-quick facts, retrieved from:
<https://www.cdc.gov/diabetes/basics/quick-facts.html>
- lxviii Centers for Disease Control and Prevention, Diabetes and Your Heart, retrieved from:
<https://www.cdc.gov/diabetes/library/features/diabetes-and-heart.html>
- lxix County Health Rankings and Roadmaps, 2020
- lxx Nebraska DHHS, Injury in Nebraska Report 2009-2013
- lxxi Nebraska DHHS, Nebraska 2016 Vital Statistics Report
- lxxii County Health Rankings and Roadmaps, 2020
- lxxiii CDC, Office of Disease Prevention and Health Promotion, 2019, Healthy People 2020: Mental health: Overview and Impact
- lxxiv Watanabe-Galloway, S., et al. 2016. Nebraska Behavioral Health Needs Assessment. University of Nebraska Medical Center, Omaha, NE.
- lxxv American Foundation for Suicide Prevention. Suicide: Nebraska 2016 facts and figures.
- lxxvi NALHD, VetSET: <http://nalhd.org/our-work/vetset/building-military-cultural-competence.html>
- lxxvii CDC. Adverse Childhood Experiences: looking at how ACEs affect our lives and society.
- lxxviii US Department of Health and Human Services. (2018) Adverse Childhood Experiences. Retrieved 1/23/19 from
<https://www.childwelfare.gov/topics/preventing/preventionmonth/resources/ace/>
- lxxix ACEs Connection. 2017 Nebraska fact sheet.
- lxxx CDC, Adverse Childhood Experiences: looking at how ACEs affect our lives and society.
- lxxxi CDC, 2019, CDC-Kaiser ACE Study.
- lxxxii Voices for Children in Nebraska, 2017, The Kids Count in Nebraska 2017 Report
- lxxxiii ACEs Connection, 2017, 2017 Nebraska fact sheet
- lxxxiv Voices for Children in Nebraska, The Kids Count in Nebraska 2017 Report, Page 37
- lxxxv American Psychological Association, 2019, The road to resilience.
- lxxxvi Data Resource Center for Child & Adolescent Health, 2016, National Survey of Children's Health: Indicator 6.28.
- lxxxvii America's Health Rankings, 2018, Public Health Impact: Adverse Childhood Experiences
- lxxxviii America's Health Rankings, 2018, Public Health Impact: Adverse Childhood Experiences
- lxxxix America's Health Rankings, 2018, Public Health Impact: Adverse Childhood Experiences
- xc SAMHSA, 2019, Substance Abuse and Mental Illness Prevention
- xci NIH, National Institutes on drug abuse, Comorbidity: Substance use disorders and other mental illnesses, August 2018
- xcii Watanabe-Galloway, S., et al. 2016. Nebraska Behavioral Health Needs Assessment. University of Nebraska Medical Center, Omaha, NE.
- xciii CDC, National Center for Chronic Disease Prevention and Health Promotion, Division of Population Health, 2018,
<https://www.cdc.gov/alcohol/data-stats.htm>
- xciv Reidpath DD, Allotey P. Infant mortality rate as an indicator of population health. *Journal of Epidemiology & Community Health* 2003; **57**:344-346.
- xcv CDC, National Center for Chronic Disease Prevention and Health Promotion, Division of Reproductive Health, 2016, Infant Mortality

-
- ^{xvii} County Health Rankings and Roadmaps, 2020
- ^{xviii} US Department of Health & Human Services, Health Resources and Services Administration, Area Health Resource File, 2006-10 via CARES
- ^{xix} County Health Rankings and Roadmaps, 2020
- ^{xx} County Health Rankings and Roadmaps, 2020
- ⁱ Nebraska DHHS, Vital Statistics Report, 2016: The number of resident live births per 1,000 population
- ⁱⁱ County Health Rankings and Roadmaps, 2020
- ⁱⁱⁱ County Health Rankings and Roadmaps, 2020
- ^{iv} Alliance for Health Policy, 2017, The Sourcebook: Essentials of Health Policy. Chapter 8-Mental Health and Substance Abuse.
- ^v County Health Rankings and Roadmaps, 2020
- ^{vi} Alliance for Health Policy, 2017, The Sourcebook: Essentials of Health Policy. Chapter 8-Mental Health and Substance Abuse
- ^{vii} County Health Rankings and Roadmaps, 2020
- ^{viii} Nebraska DHHS, Office of Health Disparities and Health Equity, Access to Health Services Dashboard
- ^{ix} USDHHS, Office of Minority Health. 2019. Profile: Hispanic/Latino Americans.
- ^x The Commonwealth Fund. 2017. Older Americans Were Sicker and Faced More Financial Barriers to Health Care Than Counterparts in Other Countries.
- ^{xi} Nebraska DHHS, Office of Health Disparities and Health Equity, Access to Health Services Dashboard